# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.83

Company of the Compan

APR 6 1942 A

# PIRTLE'S

# CACTUS GARDEN

J. R. PIRTLE & SONS



Native & Exotic Cacti & Other
Succulents

Retail Price List



LOWER RIO GRANDE VALLEY

Morningside Blvd. at Wisconsin

EDINBURG, TEXAS.





PIRTLE'S CACTUS GARDEN
J. R. PIRTLE & SONS,
Morningside Blvd. at Wisconsin
EDINBURG, TEXAS.
NATIVE & EXOTIC CACTI AND
OTHER SUCCULENTS
Retail Price List No. 3

Terms; Cash with order
P-Plant. S-Seedling. G-Graft
C-Cutting. X-Not Prepaid
\*-Larger or specimen plants

If we do not list plants you want please write us, as we are constantly acquiring new species and may now have same.

We have hundreds of specimen plants.....Will be glad to quote prices upon request.

We will deliver postpaid, or express prepaid, in the United States only, on orders of \$1.00 and over, except where otherwise stated.

While every effort has been made to properly classify our plants, we do not guarantee nomenclature given to be correct. We have the four volumes of Britton & Rose, (Cactaceae) and are constantly checking up on our plants.

No substitution will be made without advice from customer. Please list extra plants when ordering in case our stock is depleted.

Miniature Gardens---Planted in appropriate pottery. Prices, carefully packed for shipment by express collect, \$1.25, \$1.35, \$1.75, \$2.25, \$3.00, \$4.00, \$5.00, \$6.00 and \$10.00. Approximate weight 10 to 35 pounds.

### CRISTATES

We sometimes have grafted plants of cristates at \$1.00 up, according to size and rarity. Write your wants in cristates.

Aconthocomous (Night Placeming)				
Acanthocereus (Night Blooming) honduriensis	C	.35		
		.35		
horridus				
pentagonus	4	. 25		
Ancistrocactus scheerii	-			=0
	. P	.15	to	. 50
Ariocarpus				
fissuratus				
furfuraceus				
kotschoubeyanus				
trigonus	P	1.00	to	3.00
Astrophytum				
asterias	. P	. 25	to	1.00
capricorne	Р	. 50	to	3.50
myriostigma			to	3.00
ornatum				5.00
Aztekium ritterii				
Bartschella		1.00		
schumannii	C	. 35		
Cactus amoenus				
		. 25		
broadwayii	3	. 43	up	
Carnegiea		~ ~		
X gigantea	F	5.00	) up	)
Cephalocereus	-			
albispinus			_	
arrabidae			-	
atroviridis		1.00	up	
chrysacanthus	C	1.00	up	
gounellei	C	1.00	up	
leucocephalus	C	2.00	up	
moritzianus	_ C	.50	up	
nobilis	C	.50	up	
*palmeri		.50	up	
royenii		. 50	•	
senilisS			-	10 un
Cereus		1000		7
alacriportanus	C	50	un	16
bolivianus monstr.				
caesius hybrid			up	
*X caesius monstrosus				
childsii (red flower)				
dayami i		.50	-	
hexagonus		. 50		
hildmannianus		. 50	-	
inermis		. 50		
jamacaru		. 50	-	
microspermus	C	1.00	up	The same

Cereus (cont'd)				
peruvianus type	C	50	110	
X peruvianus	4	. 50	up	
monstrosus	C	1 00	un	
X peruvianus	u	1.00	up	
monstr. cristate	7	1 00	110	
*peruvianus	-	1.00	up	
longispinus	C	50	220	
X peruvianus longi-	u	. 50	up	
spinus monstrosus	7	1 00	22.05	
stenogonus				
tetragonus				
thalassinus				
Chamaecereus	4	.50	up	
silvestrii	7	15	+-	25
Cleistocactus	u	. 13	10	. 45
anguinus(	7	50	***	
			_	1 50
baumanni i	4	. 43	10	1.50
straussii	7	50		
(Borzicactus B&R)	4	. 50	ир	
Consolea	7	-		1 00
moniliformis				
rubescens				
spinosissima			to	1.00
Coryphantha erecta				
runyonii	4	. 25	up	
Dolicothele				
*sphaericaP		. 25	up	
Echinocactus				
grusonii	4	. 25	to	5.00
Echinocereus				
blanckii				
enneacanthus				11 14
fitchii		.15		. 50
papillosus		. 15		.50
pentalophusl	P	. 15	to	. 50
Echinofossulocactus				
lamellosus	P	1.00		
Echinopsis				
bridgesii	C	. 50	up	
*calochlora		. 25	-	
*campylacantha?	C	. 25	up	N. S. L.
colmarii	3	. 25	up	
*eyriesei	3	. 25	up	
imperialis		.50	up	
mia		. 25	up	
*muelleri		.15	up	

Echinopsis (Cont'd)		
*multiplex	C .15 up	
quehlii	C .25 up	
rhodotricha	C .50 up	
ritteri		
rotheri		
schelhasei		
triumphans	The state of the s	
*tubiflora	The state of the s	
*turbinata		
variabilis		
*wilkensii		
Escobaria		
	P .15 to .50	0
Ferocactus		
acanthodes		0
alamosanus		
flavovirens		
glaucescens		
hamatacanthus		
latispinus		0
rafaelense	The second secon	
wislizeni	P 1.00 up	
Gymnocalycium		
baldianum		
denudatum		
mihanovichii		
netrelianum	G .35 G 1.00 up	
Hamatocactus		•
setispinus	P .15 to .5	U
Harrisia	C 25 + 1.0	
aboriginum		-
bonplandi		
brookii eriophora		
		U
fragransjusbertii		0
martinii		
tortuosa		
Homalocephala		U
texensis	P .25 to 1.00	0
Hylocereus		
costaricensis	C .25 up	
guatemalensis		
lemairei		
ocamponus		
Outinpoiled.,	up	

Hylocereus (Cont'd)		
trigonus	. 25	up
triangularis		
undatusC		
venezuelensis		-
Lemaireocereus		-P
benecke i	50	to 3.00
dumortieri		
hollianus		
hystrix		
•		to 3.00
pruinosus C	-	
stellatus		to 3.00
treleasei		to 5.00
X-weberi	2.50	up
Leptocereus		
grantianus		
quadricostatus	. 50	to 1.00
Lobivia aurea, backbergii, bolivi-		
ensis, cinnabarina, famatimensis.		
mistiensis, psuedocachensis, sal-		
tensis, and others. Occasional		
grafts available. Write for		
prices.		
Lophocereus		
Zophoccicus		
australis	50	to 5.00
australis		to 5.00
gatesii (	.50	to 1.50
gatesii	.50	to 1.50 to 1.00
gatesii C sargentianus C schottii C	.50 .50	to 1.50 to 1.00 to 3.00
gatesii	.50 .50	to 1.50 to 1.00 to 3.00
gatesii	.50 .50 .50	to 1.50 to 1.00 to 3.00 up
gatesii C sargentianus C schottii C schottii monstrose C Lophophora williamsii F	.50 .50 .50	to 1.50 to 1.00 to 3.00 up
gatesii C sargentianus C schottii C schottii monstrose C Lophophora williamsii E Malacocarpus	.50 .50 .50 1.00	to 1.50 to 1.00 to 3.00 up
gatesii C sargentianus C schottii C schottii monstrose C Lophophora williamsii F Malacocarpus erinaceus C	.50 .50 .50 1.00	to 1.50 to 1.00 to 3.00 up to 1.00
gatesii C sargentianus C schottii C schottii monstrose C Lophophora williamsii F Malacocarpus erinaceus C lenninghausii G&F	.50 .50 .50 1.00 .15	to 1.50 to 1.00 to 3.00 up to 1.00
gatesii C sargentianus C schottii C schottii monstrose C Lophophora williamsii F Malacocarpus erinaceus C	.50 .50 .50 1.00 .15	to 1.50 to 1.00 to 3.00 up to 1.00
gatesii C sargentianus C schottii C schottii monstrose C Lophophora williamsii F Malacocarpus erinaceus C lenninghausii G&F	.50 .50 .50 1.00 .15 1.00 .75	to 1.50 to 1.00 to 3.00 up to 1.00
gatesii C sargentianus C schottii C schottii monstrose C Lophophora williamsii F Malacocarpus erinaceus C lenninghausii G&F ottonis G	.50 .50 .50 1.00 .15 1.00 .75	to 1.50 to 1.00 to 3.00 up to 1.00
gatesii C sargentianus C schottii C schottii monstrose C Lophophora williamsii F Malacocarpus erinaceus C lenninghausii G&F ottonis G submammulosus S	.50 .50 .50 1.00 .15 1.00 .75	to 1.50 to 1.00 to 3.00 up to 1.00
gatesii C sargentianus C schottii C schottii monstrose C Lophophora williamsii F Malacocarpus erinaceus C lenninghausii G&F ottonis G submammulosus S Mediocactus coccineus, variety	.50 .50 .50 1.00 .15 1.00 .75 1.00 .25	to 1.50 to 1.00 to 3.00 up to 1.00
gatesii C sargentianus C schottii C schottii monstrose C Lophophora williamsii F Malacocarpus erinaceus C lenninghausii G&F ottonis G submammulosus S Mediocactus	.50 .50 .50 1.00 .15 1.00 .75 1.00 .25	to 1.50 to 1.00 to 3.00 up to 1.00
gatesii C sargentianus C schottii C schottii monstrose C Lophophora williamsii E Malacocarpus erinaceus C lenninghausii G&F ottonis G submammulosus S Mediocactus coccineus, variety setaceus C Monvillea	.50 .50 .50 1.00 .15 1.00 .75 1.00 .25	to 1.50 to 1.00 to 3.00 up to 1.00 to 5.00 up
gatesii C sargentianus C schottii C schottii monstrose C Lophophora williamsii F Malacocarpus erinaceus C lenninghausii G&F ottonis G submammulosus S Mediocactus coccineus, variety setaceus C Monvillea cavendishii C	.50 .50 .50 1.00 .15 1.00 .75 1.00 .25	to 1.50 to 1.00 to 3.00 up to 1.00 to 5.00 up
gatesii C sargentianus C schottii C schottii Monstrose C Lophophora williamsii F Malacocarpus erinaceus C lenninghausii G&F ottonis G submammulosus S Mediocactus coccineus, variety setaceus C Monvillea cavendishii C insularis C	1.00 .50 .75 1.00 .75 1.00 .25	to 1.50 to 1.00 to 3.00 up  to 1.00  to 5.00 up  to 1.00
gatesii C sargentianus C schottii C schottii monstrose C Lophophora williamsii F Malacocarpus erinaceus C lenninghausii G&F ottonis G submammulosus S Mediocactus coccineus, variety setaceus C Monvillea cavendishii C insularis C lauterbachii C	1.00 .15 1.00 .75 1.00 .25	to 1.50 to 1.00 to 3.00 up  to 1.00  to 5.00 up  to 1.00  to 1.00  to 1.00
gatesii G sargentianus G schottii G schottii Monstrose G Lophophora williamsii H Malacocarpus erinaceus G lenninghausii G&F ottonis G submammulosus S Mediocactus coccineus, variety setaceus G Monvillea cavendishii G insularis G lauterbachii G marmorata G	1.00 .15 1.00 .15 1.00 .25 1.00 .25	to 1.50 to 1.00 to 3.00 up  to 1.00  to 5.00 up  to 1.00  to 1.00  to 1.00
gatesii C sargentianus C schottii C schottii C schottii monstrose C Lophophora williamsii F Malacocarpus erinaceus C lenninghausii G&F ottonis G submammulosus S Mediocactus coccineus, variety setaceus C Monvillea cavendishii C insularis C lauterbachii C marmorata S spegazzinii C	.50 .50 .50 .50 1.00 .15 1.00 .75 1.00 .25 3.35 1.00 .50	to 1.50 to 1.00 to 3.00 up  to 1.00  to 5.00 up  to 1.00 to 1.00 to 1.00 to 1.00 to 1.00
gatesii G sargentianus G schottii G schottii Monstrose G Lophophora williamsii H Malacocarpus erinaceus G lenninghausii G&F ottonis G submammulosus S Mediocactus coccineus, variety setaceus G Monvillea cavendishii G insularis G lauterbachii G marmorata G	.50 .50 .50 .50 .1.00 .15 .75 1.00 .25 .35 .35 .35 .50 .50 .50	to 1.50 to 1.00 to 3.00 up  to 1.00  to 5.00 up  to 1.00  to 1.00  to 1.00

-

Neomammillaria	
candida	P 1.00 to 1.50
celsiana	
camptotricha	-
chinocephala	
*compressa	
*compressa angularis	
elegans	
elongata	
gigantea	
hahniana	
herrerae	
heyderii	
klissingiana	
magnimamma	
mazat lanens is	
melanocentra	
multiceps	
mystax	
parkinsonii	
petterssonii	
plumosa	
psuedoperbella	
psuedorekoi	
rhodantha.	
sempervivi	
sinaloensis	
sphacelata	
spinosissima	
winteriana	P 1.00 to 3.00
Nopalea	
auberii	
cochenillifera	
dejecta	
brittonii	
inaperta	
karwinskiana.	. C . 25
Nyctocereus	
serpentinus(	C&P .25 to 1.50
Obregonia	
denegrii	P 1.00 to 2.00
Opuntia	
aurantiaca	macrocalyx
bigelovii	microdasys
fulgida	opunt i a
grandiflora	prolifera
imbricata	retrorsa

Opuntia (cont'd)				
kleiniae	ru	ıf ida		
leptocaulis	to	tomentosa		
mamillata	VI	ilgaris var.		
All above cuts . 15 each				
Opuntia				
burrageana	fi	icus indica		
ciribe	lu	brica		
clavellina	1 i	inguaforme		
evans i ana	pi	lifera		
All above cuts .25 each				
Oreocereus				
celsiana var.				
brunneow i i	<b>G</b>	1.50 up		
Pachycereus				
marginatus				
pecten aboriginum	C	1.50 to 5.00		
*pringlei				
Pereskiopsis				
chapistle	C	.25 to 1.00		
Rathbunia				
alamosensis	<b>C</b>	.50 to 3.00		
Selenicereus				
brevispinus	C	.25 to 1.00		
macdonaldiae	C	.25 to 1.00		
pteranthus	C	. 25 to 1.00		
spinulosus	C	.25 to 1.00		
vagans	C	.25 to 1.00		
Thelocactus				
bicolor	P	.15 to .50		
Trichocereus				
candicans	C	1.00 to 3.00		
cuzcoensis	<b>C</b>	1.00		
*huascha	C	.50 to 1.50		
pachano i	C	.50 to 3.00		
spachianus				
Wilcoxia				
poselgeri	P	.50 to 1.00		
OTHER SUCCULEN	TS			

## OTHER SUCCULENTS

Agave				
americana				
variegata	P	. 25	up	
decipiens	P	. 25	to	1.00
nickelsae				

Aloe				
arborescens	Р	. 25	up	
beguinii		. 25	to	1.00
brevifolia		. 15	to	1.00
ciliaris		. 15		
commutata	Р	. 15	to	1.00
distans		. 25	to	1.00
eru		. 50	to	1.50
heteracantha		. 35	to	1.00
*marlothii		1.00	up	
nobilis	Р	. 25	to	. 75
parvibracteata	P	. 25	to	1.00
spinosissima		. 50	to	1.50
vera		. 15	to	2.00
Caralluma				
lutea	Р	. 15	to	.50
Ceropegia				
sandersonii	C	. 25	to	. 50
woodii		. 15		. 35
Crassula				
lycopodioides	P	. 15	to	. 25
monticola		. 15		. 35
perforata		. 15		.50
Echeveria		. 10		
runyonii	р	. 25	to	. 50
elegans		. 25		. 50
setosa hybrid		. 25		.50
pulvinata		.15		. 50
orpetii		. 25		.50
elegans hybrid		. 25		.50
Euphorbia	*	• 20	••	
ammak	C	. 50	un	
ammak hybrid				5.00
canariens is				1.00
coerulescens				1.00
echinus		. 25	LU	1.00
franckiana		. 25	to	1.00
grandicornis		. 50		3.00
grandidens		. 25	to	
hermentiana		. 35	10	. 50
		. 50	to	2. 00
ingens		. 15		1.00
lactea*		. 50		2.00
*lactea cristate		. 50		2.00
neriifolia		.50		1.00
officinarium				. 75
psuedocactus		. 25		. 75
triangularis	C	. 25	10	. 13

Gasteria		10		
angulata		. 25	to	. 50
brevifolia		. 25	to	. 50
cheillophylla		. 35	to	1.00
columbrina	P	. 25	to	.75
disticha angulata	P	. 25	to	. 50
echinata glauca	P	. 25	to	1.00
glabra	. P	.50		
maculata	P	. 25	to	. 75
minima		. 25	to	. 50
marmorata minima	. P	. 25	to	.50
nitida	P	. 50		
planifolia	. P	. 35	to	.75
pulchra	P	. 25	to	1.00
scaberrima	Р	. 25	to	1.00
trigona	Р	. 25	to	1.00
verucuosa	P	. 15	to	. 50
Haworthia				
attenuata	Р	. 25	to	.50
cassytha	. P	.35		
coarctata		. 15	to	.75
cymbiformis		. 15	to	1.00
denticulata		.50	to	1.00
fasciata		. 25	to	1.00
glabrata concolor		. 15	to	1.00
margaretifera		. 15	to	.75
psuedorigida		. 25	to	.50
radula		. 25	to	.75
rigida		. 25	to	.50
tesselata		. 25	to	.75
viscosa			to	. 50
Huernia				
penziggii	. Р	. 15	to	.50
pillansii		. 25		
schneideriana			to	.50
Kalanchoe			••	
da igremont i anum	р	. 15	to	.35
fedtschenkoi		.15		. 50
marmorata		. 25		. 50
somaliensis		.15		.50
tubiflora		. 15		.50
houghton hybrid		.15	-	.50
Kitchingia		. 10	-	
beharens is	P	. 25	to	1.00
mandrakens is				1.00
Lenophyllum		. 100	-	2.00
texanum	P	. 15	to	. 25
Condition	1	. 10	-	· MO

Manfreda			
maculosa P	. 25	to	.50
variegataP	.50	to	1.00
Sedum			
adolphiiP	.15	to	.35
guatemalense P	. 15	to	. 35
Stapelia			
bufoniaP	. 15	to	. 25
giganteaP	. 25	to	1.00
hirsuta P	. 15	to	.50
variegataP	.15	to	.35

Miniature garden assortment, mixed cacti and other succulents; 6 plants for 6 inch pot or receptacle of same diameter \$1.00; 10 plants for 8 inch pot \$1.50; 15 plants for 10 inch pot \$2.25; 20 plants for 12 inch pot \$3.00; 25 plants for 14 inch pot \$3.75; 30 plants for 16 inch pot \$4.50.

Mixed cacti seed 15 cents per packet.

Join the Cactus & Succulent Society of America--Membership and subscription to the Journal, published monthly, \$3.00 per year----Address Box 101, Pasadena, California.

Our garden is located the same distance from Edinburg, Alamo and San Juan, and any Filling Station at these points will give directions for reaching same.

MANAGER STRUCKS STRUCK

# PIRTLE'S CACTUS GARDEN J. R. PIRTLE & SONS EDINBURG, TEXAS.





U. S. DEPARTMENT OF AGRICULTURE,

\*\*\*\*\*\*\*\*\*\*\*\*\*\*

.....

WASHINGTON, D. C.

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

BUREAU OF PLANT INDUSTRY
Fruit and Vegetable Crops and Diseases

0F0 8-3591